

## DS-3E0108D-E 10/100 Mbps Ethernet Switch

DS-3E0108D-E provides 8 × 10/100 Mbps Ethernet ports which support line speed forwarding. With simple and mini exquisite body, the switch is plug and play and easy to use, suitable for home, school, dormitory, office, small monitoring and other simple network environments.



### Feature and Function

- DS-3E0108D-E: 8 × 10/100 Mbps adaptive Ethernet ports
- Support ADI/ADIX
- Store-and-forward switching
- Support MAC address auto-learning and aging
- Simple and mini exquisite body
- Support desktop and wall-mounting
- Plug & play, and easy to use




## Specification


|                    |                        |                                      |
|--------------------|------------------------|--------------------------------------|
| Model              |                        | DS-3E0108D-E                         |
| Network parameters | Port number            | 8                                    |
|                    | Port type              | 10/100 Mbps RJ45 ports               |
|                    | Standard               | IEEE 802.3, IEEE 802.3u, IEEE 802.3x |
|                    | Forwarding mode        | Store and forward                    |
|                    | MAC address table      | 1 K                                  |
|                    | Switching capacity     | 1.6 Gbps                             |
|                    | Packet forwarding rate | 1.1904 Mpps                          |
| General            | Shell                  | ABS                                  |
|                    | Weight                 | 0.041 kg                             |
|                    | Dimensions (L × H × D) | 124 × 59 × 23.2 mm                   |
|                    | Operating temperature  | 0°C~40°C                             |
|                    | Storage temperature    | -40°C~70°C                           |
|                    | Operating humidity     | 10%~90% RH non-condensing            |
|                    | Storage humidity       | 5%~90% RH non-condensing             |
|                    | Power supply           | 5 V DC, 0.6 A                        |

## Physical Interface

Front panel:



Side panel:




## Available Model

DS-3E0108D-E


## Accessories

Power adapter × 1, User manual × 1, Switch × 1

## Dimension



## Typical Application



Distributed by

## HIKVISION®

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-[0]31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com